

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



10/540160



(43) International Publication Date  
1 July 2004 (01.07.2004)

PCT

(10) International Publication Number  
WO 2004/054378 A1

(51) International Patent Classification<sup>7</sup>: A23F 3/14

LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(21) International Application Number:  
PCT/IB2002/005462

(22) International Filing Date:  
18 December 2002 (18.12.2002)

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (*for all designated States except US*): COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH [IN/IN]; Rafi Marg, 110 001 New Delhi (IN).

**Declaration under Rule 4.17:**

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): SREEKANTAYYA, Nagalakshmi [IN/IN]; United Planters Association of South India, NIL, 570 013 Mysore, Karnataka (IN). LINGAMALLU, Jagan Mohan, RAO [IN/IN]; United Planters Association of South India, NIL, 570 013 Mysore, Karnataka (IN). NANJUNDASWAMY, Chandrasekhar [IN/IN]; United Planters Association of South India, NIL, 570 013 Mysore, Karnataka (IN). N, Muraleedharan [IN/IN]; United Planters Association of South India, NIL, 570 013 Mysore, Karnataka (IN).

(74) Agent: THIAGARAJAN, Srinivasan; Kumaran & Sagar, 84-C, C-6 Lane, Sainik Farms, 110 062 New Delhi (IN).

**Published:**

— with international search report

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A PROCESS FOR PREVENTING DEVELOPMENT OF OFF FLAVOR IN CTC TEAS USING ANTIOXIDANTS

(57) Abstract: A present invention relates to a process for preventing development of pacha taint in CTC teas using antioxidants said process comprising diluting the antioxidant emulsion; spraying the emulsion homogeneously on the fermented tea material; drying, grading, packing and storing the dried material.

WO 2004/054378 A1

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

REC'D 29 AUG 2003

WIPO

PCT

Applicant's or agent's file reference <b>271</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/IB 02/05462</b>	International filing date (day/month/year) <b>18/12/2002</b>	(Earliest) Priority Date (day/month/year)
Applicant <b>COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 4 sheets.



It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.



the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing:



contained in the international application in written form.



filed together with the international application in computer readable form.



furnished subsequently to this Authority in written form.



furnished subsequently to this Authority in computer readable form.



the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.



the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ Certain claims were found unsearchable (See Box I).

3. ☐ Unity of invention is lacking (see Box II).

4. With regard to the title,



the text is approved as submitted by the applicant.



the text has been established by this Authority to read as follows:

**A PROCESS FOR PREVENTING DEVELOPMENT OF OFF FLAVOUR IN CTC TEAS USING ANTIOXIDANTS**

5. With regard to the abstract,



the text is approved as submitted by the applicant.



the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the drawings to be published with the abstract is Figure No.



as suggested by the applicant.



because the applicant failed to suggest a figure.



because this figure better characterizes the invention.



None of the figures.

## A PROCESS FOR PREVENTING DEVELOPMENT OF PACHA TAIN IN CTC TEAS USING ANTIOXIDANTS

### Technical Field

5           The present invention related to a process for preventing development of pacha taint in CTC (Crush Tear Curl) teas using antioxidants

### Background Art

10           Tea is the most popular beverage and one of the earliest known beverages in the world. Tea refers to the plant *Camellia sinensis*; the dried, processed leaf manufactured from it, extracts derived from the leaf, and beverages prepared from the leaf or extracts of this species. The development of the most characteristic attributes of the tea, i.e. the flavour and colour of the beverage is dependent on the manipulation of tealeaves to induce  
15           certain biochemical changes (Scott, 1964, *Biotechnology*, 5; 577). The starting material for manufacturing tea consists of tender young shoots, usually two or three leaves and the bud of the tea plant. The chemical composition of these shoots and the reactions that occur during the process determine the nature of the finished product.

20           During the processing and then storing, certain off flavours along with desired flavours develop in the tea. 'Green note' is one such flavour. This off flavour which is developed in storage after three to four weeks from manufacture is also called 'grassy', 'fishy' or 'painty' flavour and commonly known as 'pacha taint' (Ganeshan and Ramaswamy, 1996, February, *The Planters chronicle*, p 91). A grassy, fishy or painty  
25           smell is called "pacha taint"

          This type of off-flavour was reported in the Wynaad and Nilgiri-Wynaad regions during certain periods of the year in CTC teas after 3-6 weeks of storage. When the teas were fresh, professional tasters report these as normal. Pacha taint has become a serious  
30           concern for the planters and traders of tea in the Wynaad and Nilgiri-Wynaad areas. The price of the pacha-tainted tea is low, when compared to normal tea. Due to this problem, the planters are not getting suitable price for their product. Hence, it was thought that the prevention of development of pacha taint is the urgent need.

          This taint or off-flavour is increasingly becoming a menace in tea industry. This  
35           taint occurs mainly during the storage after the manufacturing is accomplished. The chemical constituents mainly responsible for the formation of this odour/taint are  $C_6$

aldehydes and C<sub>6</sub> alcohols. These compounds are formed when the lipid degradation followed by fatty acid oxidation takes place. The lipids not degraded during the manufacturing process degrade during storage and the off flavour is produced.

5        Several other factors enhance the development of grassy aroma in tea, such as low temperature of firing, increased plucking intervals, type and period of withering, rolling, fermentation etc. Various environmental conditions also have a role to develop this taint.

10        Antioxidants play a crucial role in preventing or delaying autoxidation and have attracted a lot of attention as food additives. The deterioration of food with time results from its biological nature largely and is inevitable. During the production, processing, distribution and storage prior to actual consumption, food undergoes various modes of deterioration that involve biological changes by microbes as well as chemical changes. The latter is ascribed to enzymatic and non-enzymatic oxidation of lipids and phenolic  
15        substance, which cause undesirable changes in flavour, appearance, physical character, nutritional value and toxicity. Deoxygenation, airtight packing, and other techniques have solved some of these problems to a certain extent, but the role of antioxidants as either food constituents or as additives cannot be overlooked. Both synthetic and natural antioxidants are widely used in many food products.

20        Literature survey revealed that there is no report on the prevention of the development of this off-flavour. BHA (Butylated hydroxy anisole) is one of the known synthetic antioxidant allowed as food additive in food processing at ppm levels.

## 25        **Objects of the invention**

The main object of the present invention is to provide a process for preventing development of pacha taint in CTC teas using antioxidants.

Another object of the present invention is to keep CTC teas devoid of pacha-taint during storage.

## 30        **Summary of the Invention**

Accordingly, the present invention provides a process for the prevention of development of pacha taint in CTC teas using antioxidants which comprises, diluting the antioxidant emulsion; spraying the emulsion homogeneously on the fermented tea material; drying, grading, packing and storing the packed material.

### Detailed Description of the Invention

In accordance to the objectives of the present invention, the process provides a CTC tea which is devoid of pacha taint, said process comprising the steps of:

- (i) diluting emulsion of an antioxidant in a suitable medium,
- 5 (ii) spraying the emulsion homogeneously on the fermented tea material in the black tea manufacturing process,
- (iii) drying the above material and packing suitably, and
- (iv) storing of the packed material.

10 In an embodiment of the invention provides a process, wherein the medium used for diluting the antioxidant is as aqueous medium.

Another embodiment, the ratio of emulsion of antioxidant and diluting medium is in 1: 200 to 500.

Still another embodiment, the antioxidant used in step (i) is a synthetic antioxidant and /or related antioxidants.

15 Still another embodiment, the antioxidant used is butylated hydroxy anisole (BHA).

Yet another embodiment, the amount of antioxidant used is in the range of 0.001 to 0.05% weight percent

Yet another embodiment, the sprayer used in step (ii) may be able to spray one litre of solution in 5 – 8 minutes.

20 Yet another embodiment, the dryer used in step (iii) is VFB type dryer.

Yet another embodiment, the drying is carried out at a temperature range of 110 to 140°C.


Yet another embodiment, the grading of the dried material is as per the size of the particles.

25 One more embodiment, the dried material is packed using suitable packing material selected from polythene bags, polythene lined gunny bags and LDPE bags.

Another embodiment, the packed material is under ambient conditions.

In yet another embodiment, a professional taster may do the sensory evaluation of the packed material, and it is evaluated for a period of 6-8 weeks at two weeks intervals.

30 A process for the prevention of development of pacha taint in CTC teas using antioxidants carried out according to following flow diagram.

**SCHEME-1**

25 Sensory evaluation: Appearance of the product is observed. 8 g of SFD is brewed in 142 ml of boiling water for 5min. The colour, aroma and taste of the brew are scored on a ten-point scale. The colour, aroma and flavour of the infusion are also scored on a ten-point scale. Taster's remarks are presented.

**The advantages of the process are:**

30 This is the first report of a process for the prevention of development of pacha taint in CTC teas using antioxidants.

The antioxidant used is a PFA (Prevention of Food Adulteration Act) allowed compound.

35 The novelty of the process is the use of antioxidant for preventing development of pacha taint in CTC teas.

The following examples are given by the way of illustration only and should not be construed to limit the scope of the present invention.

### Example-1

Tealeaf (1500g) withered for 18 h. Leaves were subjected to distortion using rotarvane and CTC machine. Twisted leaf is mixed with RC and subjected to fermentation at 27°C for 50-60 min. The antioxidant (30-50 mg) emulsion is diluted and sprayed on to the fermented leaf manually. Fermented leaves are subjected to drying in a Fluidized bed dryer until the moisture is reduced to 3%. Manufactured black tea is subjected to sieving manually to separate different grades. Super fine dust (SFD) is packed separately and kept for storage. It is subjected to sensory evaluation at two weeks. The scores are presented in the following tables.

### Example-2

Tea leaves (500 Kg) withered for 14 -20h. Leaves were subjected to distortion using one rotarvane and four CTC machines in series RC is mixed with leaf during distortion. Distorted leafy material is subjected to Drum fermentation at 27°C for 50-60 min in drums under special conditions. The antioxidant (10-15 g) emulsion (40 ml) is diluted to 10 L with water and sprayed on to the fermented leaf using power sprayer. Fermented leafy material is subjected to drying in a Fluidized bed dryer until the moisture is reduced to 3%. Manufactured black tea is subjected to mechanical sieving to separate different grades. Super fine dust is packed separately and kept for storage. It is subjected to sensory evaluation at two weeks interval for three months. The scores are presented in the following tables.

### 25 CHEMICAL PARAMETERS OF SFD (SUPER FINE DUST) SAMPLES FROM NILGIRI-WYNAD REGION FACTORY TRIALS

Samples	Lipid (%) (Initial)	Leaf aldehyde (µg %) (Initial)	Lipid (%) (After 4 weeks)	Leaf Aldehyde (µg %) (After 4 weeks)	Taster's Score Initial	Taster's Score After 4 Weeks
T1-( BHA)	7.00	1478	6.01	1454	8	7
T2 -	7.43	2070	6.48	1778	8	5
Control	7.43	2070	6.93	1886	8	5
T8 -Control	6.98	1456	6.04	1358	7	7
T9-(BHA)						

After 4 weeks the taster's score remained unaltered, indicating the samples remained good.

**Claims**

1. A process for the prevention of development of pacha taint in CTC teas, said process comprising the steps of:
  - a. diluting emulsion of an antioxidant in a suitable medium,
  - 5      b. spraying the emulsion homogeneously on the fermented tea material in the black tea manufacturing process,
  - c. drying the above material and packing suitably, and
  - d. storing of the packed material.
- 10      2. The process as claimed in claim 1, wherein the suitable medium used for diluting the antioxidant is as aqueous medium.
3. The process as claimed in claim 1, wherein the ratio of emulsion of antioxidant and diluting medium is in 1: 200 to 500.
4. The process as claimed in claim 1 wherein, the antioxidant used in step (i) is a synthetic antioxidant and /or related antioxidants.
- 15      5. The process as claimed in claim 1, wherein the antioxidant used is butylated hydroxy anisole (BHA).
6. The process as claimed in claim 1, wherein the amount of antioxidant used is in the range of 0.001 to 0.05% weight percent
7. The process as claimed in claim 1, wherein the sprayer used in step (ii) may be able to  
20      spray one litre of solution in 5 – 8 minutes.
8. The process as claimed in claim 1, wherein the drier used in step (iii) is selected from fluidised bed type drier, VFB drier and any suitable drier.
9. The process as claimed in claim 1, wherein the drying is carried out at a temperature range of 110 to 140°C.
- 25      10. The process as claimed in claim 1, wherein in step (iv), the grading of the dried material is as per the size of the particles.
11. The process as claimed in claim 1, wherein the dried material is packed using suitable packing material selected from polythene bags, polythene lined gunny bags and LDPE bags.
- 30      12. The process as claimed in claim 1, wherein the packed material is under ambient conditions.
13. The process as claimed in claim 1, wherein the CTC tea obtained is devoid of pacha-taint when stored up to 10 weeks.



14. The process as claimed in claim 1, wherein the sensory evaluation of the material in step (vi) may be done by a professional taster / laboratory panel of tasters

# INTERNATIONAL SEARCH REPORT

International Application No

IB 02/05462

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 A23F3/14

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 A23F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)  
EPO-Internal, PAJ, WPI Data, FSTA

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	DATABASE WPI Section Ch, Week 199124 Derwent Publications Ltd., London, GB; Class D13, AN 1991-171747 XP002251682 & CN 1 045 686 A (ZHEJIANG AGRIC UNIV), 3 October 1990 (1990-10-03) abstract	1,2,4,5, 7-12,14
Y	US 2001/033880 A1 (PATEL MUSHTAQ ET AL) 25 October 2001 (2001-10-25) paragraph '0025!; example -/-	1,2,4,5, 7-12,14

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \* & \* document member of the same patent family

Date of the actual completion of the international search

19 August 2003

Date of mailing of the international search report

29/08/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Desmedt, G

## INTERNATIONAL SEARCH REPORT

Internati Application No

IB 02/05462

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 1995, no. 06, 31 July 1995 (1995-07-31) & JP 07 067530 A (NIKKEN FOOD KK), 14 March 1995 (1995-03-14) abstract -----	1
A	WO 97 18720 A (DIBAGGIO ANTHONY ; SHEPARD THOMAS R (US)) 29 May 1997 (1997-05-29) page 8, paragraphs 2-4; figure 6 -----	1
A	US 6 348 224 B1 (PATIL RAJESH HANAMANTAGOU DA ET AL) 19 February 2002 (2002-02-19) -----	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

/IB 02/05462

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
CN 1045686	A	03-10-1990	NONE	
US 2001033880	A1	25-10-2001	AU 5216701 A CA 2403396 A1 CN 1419414 T WO 0170038 A2 EP 1265492 A2	03-10-2001 27-09-2001 21-05-2003 27-09-2001 18-12-2002
JP 07067530	A	14-03-1995	NONE	
WO 9718720	A	29-05-1997	AU 7431996 A WO 9718720 A1	11-06-1997 29-05-1997
US 6348224	B1	19-02-2002	NONE	